



PREMIUM

CATALOGUE 2025-26



PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE

INDEX

ABOUT US	01
CARDIO	03
ELITE SERIES	10
SIGNATURE PREMIUM SERIES	15
GLUTE BUILDER SERIES	19
IMPACT SERIES	22
ISO PREMIUM SERIES	28
FUNCTIONAL/SMITH/CABLE CROSS	34
LEG PRESS	37
BENCHES/RACKS	39



YOUR PARTNER IN FITNESS EXCELLENCE

Welcome to Pro Ultimate Gym Equipment - a name revolutionizing the fitness industry with Indian-made equipment that meets international standards. Backed by extensive R&D, our customized setups are built to deliver top quality while staying within your budget.



MISSION

We are here to inspire individuals to embrace their fittest selves by offering affordable, high-quality gym equipment and expert support. We are committed to empowering customers with tailored solutions and exceptional service that fuels their fitness business and individual journey.



VISION

We're highly motivated as we become India's most trusted fitness equipment brand - expanding nationally and internationally, driving innovation, and supporting a culture of health through strong partnerships and exceptional offerings.

Our aim is simple:

QUALITY • CUSTOMIZATION • AFFORDABILITY

We're committed to excellence when it comes to manufacturing and delivering equipment that guarantees durability and performance. Our dedicated team is here to guide you through every step of setting up your gym, ensuring you make informed decisions.

Pro Ultimate Gym Equipment is your trusted partner in achieving fitness business goals. Whether you're starting a new gym or upgrading an existing one, we're here to support your journey to success.



PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE





TREADMILL - 1947i

- Display: 23.6 Inch LED Touch Screen
- Readouts: Time, Speed, Distance, Calories, Pulse, Incline
- Programs: Manual, 05 Preset, 2 User Programs
- Motor Type: AC 8 H.P. Peak Duty
- Speed Range: Up to 25 km./hr.
- Elevation: 25 Level Auto Incline
- Deck Type: Double Phenolic Heavy Cushioned Deck
- User Weight: Up to 180 KGS.
- Running Surface: 1549 [l] x 584 [w] m.m.
- Belt Type: Heavy Duty 4 mm Orthopaedic Belt
- Dimension: 2090 [l] x 880 [w] x 1630 [h] m.m.
- Nett. Weight: 210 Kg



TANK TREADMILL

- Display: LED Dot Matrix, 9 Window Digital Display
- Readouts: Time, Speed, Distance, Calories, Pulse, Incline
- Programs: Manual, 08 Preset, 3 User Programs
- Motor Type: AC 8.0 HP Peak Duty
- Speed Range: Up to 22 km./hr.
- Elevation: 20 Level Auto Incline
- Deck Type: Multiple Shock Absorption
- User Weight: Up to 195 KGS.
- Running Surface: 1600 [l] x 600 [w] m.m.
- Heavy Duty 4 mm Orthopaedic Running Belt
- Dimension: 2300 [l] x 950 [w] x 1650 [h] m.m.



BEAST TREADMILL

- Display : LED Dot Matrix, 6 Window Digital Display
- Readouts: Time, Speed, Distance, Calories, Pulse, Incline
- Programs: Manual, 06 Preset, 3 User Programs
- Motor Type: AC 10 H.P. Peak Duty
- Speed Range: Up to 22 km./hr.
- Elevation: 20 Level Auto Incline
- Deck Type: Aseismic (Shock-Free) Running Board
- User Weight: Up to 180 KGS.
- Running Surface: 1620 [l] x 580 [w] m.m.
- Belt Size: 3440 [l] x 580 [w] m.m. Nylon Belt
- Dimension: 2110 [l] x 840 [w] x 1600 [h] m.m.
- Nett. Weight: 240 KGS



TREADMILL - 2900

- LED White Light Display
- Readouts: Time, Speed, Distance, Calories, Pulse, Incline
- Motor Type: AC 5.0 HP, 10.0 HP Peak Duty
- Speed Range: Up to 22 km/hr
- Elevation: 22 Level Auto Incline
- Deck Type: Multiple Shock Absorption
- User Weight: Up to 220 KGS.
- Running Surface: 1550 [l] x 580 [w] m.m.
- Belt Size: 3290 [l] x 580 [w] m.m. Nylon Belt
- Dimension: 2058[l] x 955[w] x 1750[h] m.m.
- Nett. Weight : 250 KGS



STAIR MASTER PRO

- Display: LED Dot Matrix, 6 Window Digital Display
- Step Area : 245(l) x 560(w) mm
- Max Load Weight : 200 kg
- Rated Voltage : 220V Machine
- Size : (L)1450 x (W)880 x (H)2140mm
- Advantage: Environmental Protection and Energy Conservation Aesthetics and Fast Emergency
- Stop: Infrared Sensor can avoid user drop down.



ARC TRAINER

- Console : LED Display
- Programs : Manual, 12 Preset, User Set, Hrc, Watts Control
- Function : Time, Distance, Calories, Speed, Watts, Pulse, RPM
- Resistance : 16 Levels Electromagnetic
- Flywheel : 14 Kg Flywheel
- Stride : 610 mm
- Real Time Heart Rate Monitoring
- Fluctuation Switch - Adjust Slope and Resistance
- Dimensions : 1900 [l] x 980 [w] x 1650 [h] m.m.
- Max. User Weight : 160 kg.
- Machine Nett Weight : 114 kg.



ELLIPTICAL TRAINER - 3000

- Console : LED Display
- Programs : Manual, 12 Preset, User Set, Hrc, Watts Control
- Function : Time, Distance, Calories, Speed, Watts, Pulse, RPM
- Resistance : 32 Levels Electromagnetic
- Flywheel : Two wheels for Transportation
- Stride : 20 Inch (508 mm)
- Power Supply : Self-Generator
- Dimensions : 1900 [l] x 860 [w] x 1777 [h] m.m.
- Max. User Weight : 180 kg.
- Machine Nett Weight : 114 kg.



ELLIPTICAL TRAINER - 889

- Console : LCD Windows Display
- Programs : Manual, 24 Preset, User Set, Hrc, Watts Control
- Function : Time, Speed, Distance, Calories, Contact Heart Rate
- Pulse: Ergonomically built in hand grip pulse sensor design
- Resistance Range : 1.0 - 15 Levels
- Dimensions : 2150 [l] x 720 [w] x 1900 [h] m.m.
- Max. User Weight : 200 kg.
- Machine Nett Weight : 120 kg.



CROSS TRAINER - 2250

- Display : LED Dot Matrix Display
- Programs : Manual, 08 Preset, User Set, Hrc,
- Function : Time, Distance, Calories, Matts, Mets, Pulse, RPM
- Resistance : 16 Levels Electromagnetic
- Power Supply : Self-Generator
- Stride: 500mm
- Dimensions : 1930 [l] x 690 [w] x 1740 [h] m.m.
- Max. User Weight : 180 kg.
- Machine Net Weight : 118 kg.



SPIN BIKE - 5810

- Sturdy Structure with Heavy Duty Crank
- Stuffing: PU Foam with Synthetic Leather
- Resistance Levels : Variable Linear Increase
- Front Flywheel Size: 28 kgs
- Vertically Adjustable Seat & Handlebar
- Transport wheels for easy movement
- Maximum User Weight: 150 Kg
- Net Weight : 85 Kg



SPIN BIKE - 5818

- Sturdy Structure with Heavy Duty Crank
- Stuffing: PU Foam with Synthetic Leather
- Resistance Levels : Variable Linear Increase
- Front Flywheel Size: 28 kgs
- Vertically Adjustable Seat & Handlebar
- Transport wheels for easy movement
- Maximum User Weight: 150 Kg
- Net Weight : 85 Kg



SPIN BIKE - XB 06

- Sturdy Structure with Heavy Duty Crank
- Stuffing: PU Foam with Synthetic Leather
- Resistance : 8 Levels
- Flywheel Size: 26 kgs
- Vertically Adjustable Seat & Handlebar
- Transport wheels for easy movement
- Maximum User Weight: 160 Kg
- Net Weight : 85 Kg



FAN AIR BIKE PRO

- Heavy Duty Fan Air Bike
- LED Monitor showing Time, Distance, Speed, Calories, Watts, Heart Rate & Interval Settings
- Transmission: Belt Generated
- Quick release Seat Adjustment
- Extra Padding on Seat for Best Comfort
- Maximum User Weight: 150 Kg
- Net Weight : 65 Kg



UPRIGHT BIKE - 4900

- LED display showing Pulse, Recovery, Time, RPM, Speed, Distance, Calories, Watt, Heart Rate & Resistance with Self generator system
- Easy-to-Adjust Pedal Straps.
- 15 Kgs Flywheel - 26 Levels Tension Control System
- Ergonomic Seat Adjustment
- Hand Grips with Pulse Sensor
- Adjustable PU Seat



RECUMBENT BIKE - 4900

- Console : Large LED Screen
- Readouts: Pulse, Recovery, Time, RPM, Speed, Distance, Calories, Watt, Heart Rate & Resistance
- Self-Generator System, Adjustable Pedal
- 15 Kgs flywheel
- 26 levels tension control system
- Ergonomic seat adjustment
- Hand grips with pulse sensor
- Adjustable PU seat
- With Mobile holder
- Maximum User Weight: 150 Kgs



SPIRIT AIR ROWER

- Programs: Manual, Distance, Time, Calories, 20/10 Interval, 10/20 Interval, Custom Interval, Fat Burn, Cardio, Strength, Game
- Heart Rate: Telemetric (Chest strap sold separately)
- Resistance: Air and Magnetic (16 Levels)
- Power: Self generating, 2 C batteries required (not included)
- Seat: Contoured and Padded
- Footrests: Flex pedals with numbered settings
- Frame: High-Strength Steel w/Durable Powder-Coat
- Dimensions : 2388 (L) x 458(W) x 965(H) mm
- Product Weight: 47 Kg.
- Max. User Weight: 210 Kg.



- Streamlined Design and Stylish Appearance.
- Shroud: ABS Shroud with One-step Injection Molding.
- Cushion: Made of PU with Once Forming Technology
- Weight Plate: All-steel Material, Flat and Smooth Surface, without Pits.
- Coating: 3 Layers Electrostatic Paint Process, Bright Color, Long-Term Rust Prevention.
- Pulley: Big Aluminum Pulley Processed by CNC carefully



SPLIT PUSH CHEST PRESS

Size: 1450 x 1135 x 1690mm
Nett. Weight : 248 Kg



SPLIT PUSH SHOULDER PRESS

Size: 1640 x 1110 x 1690mm
Nett. Weight : 240 Kg



LAT PULLDOWN

Size: 1490 X 1665 X 2110mm
Nett. Weight : 237 Kg



PEC FLY WITH REAR DELT

Size: 1735 X 1170 X 2035mm
Nett. Weight : 244 Kg



SEATED ROW

Size: 1215 X 1465 X 1690mm
Nett. Weight : 260 Kg



ADDUCTOR / ABDUCTOR

Size: 1375 X 1450 X 1695mm
Nett. Weight : 264 Kg



LEG EXTENSION

Size: 1340 X 1530 X 1690mm
Nett. Weight : 285 Kg



PRONE LEG CURL

Size: 1340 x 1530 x 1690mm
Nett. Weight : 245 Kg



BICEPS PREACHER CURL

Size: 1560 X 1140 X 1690mm
 Nett. Weight : 226 Kg



ASSISTED CHIN-UPS WITH DIPS

Size: 1360 X 1600 X 2280mm
 Nett. Weight : 282 Kg



TRICEPS PRESS

Size: 1270 X 1390 X 1690mm
 Nett. Weight : 229 Kg



SEATED LEG CURL

Size: 1340 x 1610 x 1690mm
 Nett. Weight : 268 Kg



ISOLATERAL LAT PULLDOWN

Size: 1360 X 1600 X 2280mm

Nett. Weight : 282 Kg



SIGNATURE PREMIUM

- Counterweight Case: Adopts Large D-shaped Steel Tube as Frame.
- Protective Cover: High Quality Q235 Carbon Steel Plate and Thickened Acrylic Board.
- Handle Decorative Cover: Made of Aluminum Alloy.
- Cable Steel: High-Quality Cable Steel Dia. 6mm, Composed of 7 Strands and 18 Cores.
- Cushion: Polyurethane Foaming Process, the Surface is made of Super Fiber Leather.
- Coating: 3 Layers Electrostatic Paint Process, Bright Color, Long-Term Rust Prevention.
- Pulley: High-Quality PA One-Time Injection Molding, Bearing Injected Inside.



SPLIT PUSH CHEST TRAINER

Size: 1544 x 1297 x 1859mm
Nett. Weight : 241 Kg



PEC FLY WITH REAR DELT

Size: 1720 X 1270 X 530mm
Nett. Weight : 150 Kg



LAT PULLDOWN WITH SEATED ROW

Size: 2110 x 1100 x 2225mm
Nett. Weight : 232 Kg



ASSISTED CHIN-UPS WITH DIPS

Size: 1812 x 1129 x 2214mm
Nett. Weight : 279 Kg



SPLIT PUSH SHOULDER PRESS

Size: 1500 x 1408 x 1547mm
Nett. Weight : 230 Kg



SEATED ROW

Size: 1286 x 1267 x 1500mm
Nett. Weight : 207 Kg



PREACHER BICEPS CURL

Size: 1464 x 1252 x 1500mm
Nett. Weight : 181 Kg



ADJUSTABLE LAT PULLDOWN ROW

Size: 1610 x 1425 x 2150mm
Nett. Weight : 268



LEG EXTENSION

Size: 1372 x 1252 x 1500mm
Nett. Weight : 238 Kg



PRONE LEG CURL

Size: 1516 x 1097 x 1500mm
Nett. Weight : 230 Kg



ADDUCTOR / ABDUCTOR

Size: 1679 x 746 x 1500mm
Nett. Weight : 214 Kg



- Counterweight Case: Adopts Large D-shaped Steel Tube as Frame.
- Protective Cover: High Quality Q235 Carbon Steel Plate and Thickened Acrylic Board.
- Handle Decorative Cover: Made of Aluminum Alloy.
- Cable Steel: High-Quality Cable Steel Dia. 6mm, Composed of 7 Strands and 18 Cores.
- Cushion: Polyurethane Foaming Process, the Surface is made of Super Fiber Leather.
- Coating: 3 Layers Electrostatic Paint Process, Bright Color, Long-Term Rust Prevention.
- Pulley: High-Quality PA One-Time Injection Molding, Bearing Injected Inside.



HYPER EXTENSION

Size: 1735 x 1660 x 1248mm
Nett. Weight : 206 Kg



HIP THRUST

Size: 1735 X 1660 X 1249mm
Nett. Weight : 254 Kg



STANDING HIP THRUST

Size: 1735 X 1660 X 1247mm
Nett. Weight : 209 Kg



KICK BACK

Size: 1735 X 1660 X 1246mm
Nett. Weight : 205 Kg



STANDING ABDUCTOR

Size: 1735 x 1660 x 1250mm
Nett. Weight : 243 Kg



GLUTE ISOLATOR

Size: 1337 x 1013 x 1500mm
Nett. Weight : 183 Kg



IMPACT

- Main Frame: Constructed from a Robust Flat Oval Tube, ensuring a Sleek Design.
- Shroud: Crafted from Premium ABS Material, Offering Resistance to Impact.
- Cushion: Made from High-Quality Polyurethane Foaming Process
- Weight Plate: Created from Alloy Steel Ensuring Smooth Operation.
- Guide Rod: Stainless Steel Hollow Pipe for Corrosion Resistance & Great Performance.
- Steel cable: Maxload 1000kgs, Offering Exceptional Durability and Safety.
- Weight Stack: 100kgs | Max User Weight: 180kgs



SEATED CHEST PRESS

Size: 1472 X 1320 X 1980mm
 Nett. Weight : 248 Kg



SHOULDER PRESS

Size: 1550 X 1550 X 1420mm
 Nett. Weight : 210 Kg



DELTS MACHINE

Size: 1120 X 1320 X 1420mm
 Nett. Weight : 215 Kg



ROTARY TORSO

Size: 1145 X 1295 X 1420mm
 Nett. Weight : 228 Kg



LAT PULLDOWN WITH SEATED ROW

Size: 2030 X 1240 X 2280mm
Nett. Weight : 205 Kg



LAT PULLDOWN

Size: 1600 X 1345 X 1905mm
Nett. Weight : 235 Kg



PEC FLY WITH REAR DELT

Size: 1372 X 1400 X 2010mm
Nett. Weight : 235 Kg



ASSISTED CHIN-UPS WITH DIPS

Size: 1800 X 1140 X 2360mm
Nett. Weight : 282 Kg



MULTI PRESS

Size: 1930 X 1525 X 1600mm
Nett. Weight : 272 Kg



SEATED ROW

Size: 1600 X 1090 X 1600mm
Nett. Weight : 220 Kg



MULTI HIP

Size: 1475 X 889 X 1420mm
Nett. Weight : 235 Kg



BUTTERFLY MACHINE

Size: 1500 X 990 X 1500mm
Nett. Weight : 200 Kg



BICEPS CURL

Size: 1320 X 1092 X 1420mm
Nett. Weight : 225 Kg



TRICEPS PUSHDOWN

Size: 1855 X 1270 X 1420mm
Nett. Weight : 236 Kg



LEG PRESS

Size: 1830 X 1090 X 1600mm
Nett. Weight : 294 Kg



LEG CURL WITH LEG EXTENSION

Size: 1220 X 1145 X 1425mm
Nett. Weight : 260 Kg



LEG EXTENSION

Size: 1120 X 1120 X 1425mm
Nett. Weight : 242 Kg



SEATED LEG CURL

Size: 1220 X 1145 X 1475mm
Nett. Weight : 230 Kg



PRONE LEG CURL

Size: 1700 X 1415 X 1420mm
Nett. Weight : 222 Kg



- Main Frame: Adopts Flat Oval Tube 1, Size is 60*120*T3mm, Flat Oval Tube 2, Size is 50*100*T3mm, Round Tube 3, Size is $\phi 76$ *3mm.
- Handle Grip: Made of PP Soft Rubber
- Cushion: Polyurethane Foaming Process, the Surface is made of Super Fiber Leather.
- Coating: 3 Layers Electrostatic Paint Process, Bright Color, Long-term Rust Prevention.
- Seat: Air Spring Adjustment.



SEATED CHEST PRESS

Size: 1925 X 1040 X 1745 mm
Nett. Weight : 135 Kg



WIDE CHEST PRESS

Size: 1920 X 1276 X 1843 mm
Nett. Weight : 145 Kg



INCLINE CHEST PRESS

Size: 1940 X 1040 X 1805 mm
Nett. Weight : 132 Kg



SHOULDER PRESS

Size: 1530 X 1475 X 1500 mm
Nett. Weight : 122 Kg



LAT PULLDOWN

Size: 1825 X 1450 X 2090 mm
Nett. Weight : 128 Kg



CHEST PRESS WITH LAT PULLDOWN

Size: 1915 X 1676 X 2120 mm
Nett. Weight : 173 Kg



MID ROW

Size: 1455 X 1385 X 1270 mm
Nett. Weight : 123 Kg



LOW ROW

Size: 1675 X 1310 X 1695 mm
Nett. Weight : 133 Kg



FLAT BENCH PRESS

Size: 1912 X 1747 X 1007 mm
Nett. Weight : 117 Kg



DECLINE BENCH PRESS

Size: 2155 X 1785 X 1025 mm
Nett. Weight : 119 Kg



ABDOMINAL CRUNCH

Size: 1485 X 1226 X 1722 mm
Nett. Weight : 130 Kg



SEATED DIPS

Size: 1975 X 1015 X 1005 mm
Nett. Weight : 110 Kg



INCLINE FLY

Size: 1559 X 1119 X 1088 mm
Nett. Weight : 102 Kg



PREACHER BICEPS CURL

Size: 1475 X 925 X 1265 mm
Nett. Weight : 95 Kg



LEG EXTENSION

Size: 1550 X 1530 X 1210 mm
Nett. Weight : 109 Kg



LEG CURL

Size: 1540 X 1275 X 1370 mm
Nett. Weight : 120 Kg



D. Y. ROW

Size: 1630 X 1390 X 2056 mm
Nett. Weight : 147 Kg



STANDING CALF

Size: 1267 X 1456 X 1564 mm
Nett. Weight : 89 Kg

PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE



FUNCTIONAL



ELITE CABLE CROSS

Size: 4140 X 765 X 2360mm
 Nett. Weight : 502 Kg

SIGNATURE CABLE CROSS

Size: 4400 X 750 X 2280mm
 Nett. Weight : 440 Kg



ELITE FUNCTIONAL TRAINER

Size: 1660 X 1235 X 2420mm
 Nett. Weight : 536 Kg



SIGNATURE PREMIUM FUNCTIONAL TRAINER

Size: 1565 X 1200 X 2165mm
 Nett. Weight : 365 Kg



ELITE SMITH MACHINE

Size: 2460 X 1575 X 2390mm
 Nett. Weight : 228 Kg



PREMIUM SMITH WITH POWER RACK- MONSTER

Size: 2090 X 1500 X 2330mm
 Nett. Weight : 235 Kg



PREMIUM POWER-RACK WITH DEADLIFT PLATFORM

Size: 2800 X 1700 X 2500mm
 Nett. Weight : 327 Kg



PREMIUM POWER RACK

Size: 1520 X 1400 X 2570mm
 Nett. Weight : 177 Kg

PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE



LEG PRESS

LEG PRESS



PREMIUM LEG PRESS

Size: 2405 X 1485 X 1505mm
Nett. Weight : 260 Kg



LEG PRESS - M22


Size: 2400 X 1660 X 1365mm
Nett. Weight : 280 Kg



IMPACT LEG PRESS

Size: 2210 x 1630 x 1350 mm
Nett. Weight : 266 Kg

PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE
PRO ULTIMATE



BENCHES / RACKS



SHOULDER BENCH PRESS

Size: 1690 X 1217 X 1800 mm
Nett. Weight : 121 Kg



INCLINE BENCH PRESS

Size: 1932 X 1691 X 1516 mm
Nett. Weight : 130 Kg



DECLINE BENCH PRESS

Size: 2081 X 1691 X 1337 mm
Nett. Weight : 129 Kg



FLAT BENCH PRESS

Size: 1684 X 1306 X 1371 mm
Nett. Weight : 68 Kg



SPIDER CURL/PREACHER CURL

Size: 1210 X 840 X 1118 mm
Nett. Weight : 83 Kg



PREACHER CURL

Size: 1100 X 810 X 940 mm
Nett. Weight : 61 Kg



LEG RAISE STAND

Size: 1291 X 850 X 1612 mm
Nett. Weight : 75 Kg



MULTI ADJUSTABLE BENCH

Size: 1595 X 745 X 1150 mm
Nett. Weight : 48 Kg



HYPER EXTENSION

Size: 1330 X 695 X 820 mm
Nett. Weight : 58 Kg



SEATED CALF

Size: 1400 X 610 X 1020mm
Nett. Weight : 60 Kg



UTILITY BENCH

Size: 908 X 725 X 941 mm
Nett. Weight : 26 Kg



FLAT BENCH

Size: 1409 X 526 X 446 mm
Nett. Weight : 27 Kg



ABDOMINAL BOARD

Size: 1965 X 745 X 945 mm
Nett. Weight : 63 Kg



3 TIER DUMBBELL RACK

Size: 2281 X 1020 X 856 mm
Nett. Weight : 100 Kg



SCAN THE QR CODE
TO LEARN MORE



PROUULTIMATE

+91 73810 00027, 74910 00027, 86992 52193

www.proultimate.com

Plot No. 18-19, JLPL Industrial Area, Sector 82,
Mohali, Punjab - 140308

@proultimateindia